





- 1600 PSI working pressure
- 4:1 Safety factor
- 3/8" M Solid x Swivel
- Minimizes pump to coil pulsation
- 275° F

PART #	DESCRIPTION	Ketali	Our aisc.
	DESCRIPTION	Price	price
Y01-00016	16 1/2"	\$23.40	\$19.89
Y01-00024	24"	\$26.80	\$22.78
Y01-00027	27"	\$27.40	\$23.29
Y01-00029	29"	\$29.90	\$25.42
Y01-00033	33"	\$30.80	\$26.18
Y01-00036	36"	\$31.70	\$26.95
Y01-00040	40"	\$34.20	\$29.07
Y01-00051	51"	\$39.20	\$33.32
			:





- Parker's Super-Flex
- Carb approved, Low permeation
- Tube: NBR with a thermoplastic barrier
- Cover: Black hypalon
- Temperature range: -30°F to +257° F

PART #	DESCRIPTION		Our disc.
K23	1/4" ID - Per Foot	Price	price \$2.47
I\ZJ	1/4 10 -1 61 1 000	\$2.90	<b>4</b>
K26	5/16" ID - Per Foot	\$3.50	\$2.98

# **Reel Jumper Hose**



- No bend restrictors - To be used with hose reels
- Hose is rated @ 250° F/310° F Max.

PART #	DESCRIPTION	
REEL05060501	3/8" x 50" - 1 Wire 4000 PSI	

# **Clear Poly Braided Tubing**



\$17.60

\$20.70

- Sold per Foot
- Core and Cover Material:
- Industrial grade clear PVC compound Reinforcement: High tensile industrial multifilament yarn
- Nominal OD and Max. working pressure @ 70° F
- Ratings:

1/4" - 0.460" Nominal OD, 250 PSI

3/8" - 0.595" Nominal OD, 225 PSI

1/2" - 0.750" Nominal OD, 200 PSI

3/4" - 1.015" Nominal OD, 150 PSI

Service temp. range +25° F to +150° F

PART #	DESCRIPTION	Retail	Our disc.
	Poly-braid Hose -	Price	price
Z01-00013-2	1/4" Per Foot	\$0.60	\$0.51
ZA1-00010	Poly-braid Hose - 3/8" Per Foot	\$1.20	\$1.02
Z01-00039	Poly-braid Hose - 1/2" Per Foot	\$1.50	\$1.28
ZA1-00011	Poly-braid Hose - 3/4" Per Foot	\$2.00	\$1.70

# **Jumper Hose**



- Male solid x swivel ends
- No bend restrictors
- Hose is rated @ 250° F/310° F Max

- nose is rated @ 250 F/510 F Max.				
PART #	DESCRIPTION	Retail Price	Our disc. price	
K02-03212A2	3/8" x 12" - 2 Wire, 6000 PSI	\$18.40	\$15.64	
K02-03216A2	3/8" x 16 1/2" - 2 Wire, 6000 PSI	\$20.30	\$17.26	
K02-03222A2	3/8" x 22" - 2 Wire, 6000 PSI	\$22.30	\$18.96	
K02-03228A2	3/8" x 28" - 2 Wire, 6000 PSI	\$24.70	\$21.00	
K02-03234A2	3/8" x 34" - 2 Wire, 6000 PSI	\$26.50	\$22.53	
K02-03238A2	3/8" x 38" - 2 Wire, 6000 PSI	\$28.20	\$23.97	
K02-03248A2	3/8" x 48" - 2 Wire, 6000 PSI	\$32.20	\$27.37	
K02-04218A2	1/2" x 18" - 2 Wire, 6000 PSI	\$25.20	\$21.42	
K02-04229A2	1/2" x 29" - 2 Wire, 6000 PSI	\$31.40	\$26.69	

#### **Impac Jumper Hose**



- Wrapped Cover (Black), Male solid x swivel - 4000 PSI = 12000 PSI Burst Rating

- 6000 PSI = 18000 PSI Burst Rating - Hose is rated @ 250° F / 310° F Max

The section was a state of	○ 2F00 F / 2100 F M	•	
- Hose is rated	@ 250° F / 310° F Max	Retail	Our disc.
PART#	DESCRIPTION	Price	price
K02-03103E5	3/8" x 3' - 1 Wire, 4000 PSI PRODUCT	\$19.10	\$16.24
K02-03103E33	3/8" x 3' - 2 Wire, 6000 PSI	\$21.20	\$18.02
K02-03106E5	3/8" x 6' - 1 Wire, 4000 PSI	\$25.20	\$21.42
K02-03106E33	3/8" x 6' - 2 Wire, 6000 PSI	\$29.30	\$24.91
K02-03110E5	3/8" x 10' - 1 Wire, 4000 PS	\$33.50	\$28.48
K02-03110E33	3/8" x 10' - 2 Wire, 6000 PSI	\$40.50	\$34.43
K02-03115E5	3/8" x 15' - 1 Wire, 4000 PSI	\$43.70	\$37.15
K02-03115E33	3/8" x 15' - 2 Wire, 6000 PSI	\$54.20	\$46.07

# Low Pressure Water Hose



- Bypass or suction use
- 200 PSI max. pressure
- No longer sold per foot, sold in pre-cut bulk lengths (no ends) of 50', 100', and 200' only

PART #	DESCRIPTION	Retail Price	Our disc. price
K33-50	3/8" x 50' Pre-cut Low PSI Water Hose	\$109.50	\$93.08
K33-100	3/8" x 100' Pre-cut Low PSI Water Hose	\$436.50	\$371.03
K33-200	3/8" x 200' Pre-cut Low PSI Water Hose	\$218.50	\$185.73
K60-50	5/8" x 50' Pre-cut Low PSI Water Hose	\$142.50	\$121.13
K60-100	5/8" x 100' Pre-cut Low PSI Water Hose	\$568.50	\$483.23
K60-200	5/8" x 200' Pre-cut Low PSI Water Hose	\$284.50	\$241.83
K75-50	3/4" x 50' Pre-cut Low PSI Water Hose	\$124.00	\$105.40
K75-100	3/4" x 100' Pre-cut Low PSI Water Hose	\$552.00	\$469.20
K75-200	3/4" x 200' Pre-cut Low PSI Water Hose	\$248.00	\$210.80

# **Impac Hose**

NEW PRODUCT

- 310° F Max
- Wrapped Cover (Black)


.....;

- 1 Wire Hose - 3000 PSI max. pressure
- Ends are Male solid x swivel All hoses come with black bend restrictors
- 9280 PSI Burst Rating
- Hose is rated @ 250° F /

	510 1 Max.	Retail	Our disc.
PART #	DESCRIPTION	Price	price
K02-04150E1	1/2"x 50' - 1 Wire, 3000 PSI	\$137.00	\$116.45
K02-04175E1	1/2"x 75' - 1 Wire, 3000 PSI	\$196.70	\$167.20
K02-41100E1	1/2" x 100' - 1 Wire, 3000 PSI	\$256.50	\$218.03











4000 PSI (Gray)







# **Jetter Sewer Hose**

Z09-00200 thru Z09-00203 & Z09-00213



Z09-00216 & Z09-00240 Z09-00217







Z09-00246

- Slides easily into drain pipes, sewer, and water lines
- Flexible for cornering, durable construction
- Z09-00200 & Z09-00201:

Black color and has one 1/8" M solid end & one 1/4" M solid end

- Z09-00202 & Z09-00203:

Black color and has 1/4" M solid x swivel ends

- Z09-00213 & Z09-00218:
- Black color and has 3/8" M solid x swivel ends
- Z09-00216 & Z09-00217:
- Black color and has 1/4" M solid ends
- Z09-00216 & Z09-00217:
- Black color and has 1/4" M solid ends
- Z09-00240 & Z09-00246:

Green color and has 1/2" M solid x swivel ends

		Retail	Our disc.
PART #	DESCRIPTION	Price	price
Z09-00200	1/8" x 50', 4800 PSI @ 160° F	\$95.60	\$81.26
Z09-00201	1/8" x 100', 4800 PSI @ 160° F	\$179.80	\$152.83
Z09-00202	1/4" x 50', 4400 PSI @ 160° F	\$94.20	\$80.07
Z09-00203	1/4" x 100', 4400 PSI @ 160° F	\$177.10	\$150.54
Z09-00216	1/4" x 50', 4350 PSI @ 212° F	\$170.10	\$144.59
Z09-00217	1/4" x 100', 4350 PSI @ 212° F	\$271.70	\$230.95
Z09-00213	3/8" x 100', 4000 PSI @ 160° F	\$358.50	\$304.73
Z09-00218	3/8" x 200', 4000 PSI @ 160° F (On Reel)	\$732.10	\$622.29
Z09-00246	1/2" x 100', 4000 PSI @ 160° F	\$476.00	\$404.60
Z09-00240	1/2" x 200', 4000 PSI @ 160° F (On Reel)	\$964.10	\$819.49

### **Impac Hose**



- Wrapped Cover (Black)
- 2 Wire Hose, 6000 PSI max. pressure
- Ends are Male solid x swivel
- All hoses come with red bend restrictors
- 18000 PSI Burst Rating
- Hose is rated @ 250° F / 310° F Max.

		Retail	Our disc.
PART #	DESCRIPTION	Price	price
K02-03125E33	3/8" x 25' - 2 Wire, 6000 PSI	\$77.40	\$65.79
K02-03150E33	3/8" x 50' - 2 Wire, 6000 PSI	\$128.80	\$109.48
K02-03175E33	3/8" x 75' - 2 Wire, 6000 PSI	\$199.80	\$169.83
K02-31100E33	3/8" x 100' - 2 Wire, 6000 PSI	\$240.80	\$204.68

#### **Impac Hose**



- Wrapped Cover (Black)
- 2 Wire Hose
- 5000 PSI max. pressure
- Ends are Male solid x swivel
- All hoses come with red bend restrictors
- 18000 PSI Burst Rating
- Hose is rated @ 250° F / 310° F Max.

		Retail	Our disc.	:
PART #	DESCRIPTION	Price	price	
K02-04150E7	1/2" x 50' - 2 Wire, 5000 PSI	\$157.90	\$134.22	
K02-04175E7	1/2" x 75' - 2 Wire, 5000 PSI	\$228.30	\$194.06	
K02-41100E7	1/2" x 100' - 2 Wire, 5000 PSI	\$298.50	\$253.73	:

#### **Impac Non-Marking Hose**



- Smooth Cover (Blue)
- 2 Wire Hose
- 6000 PSI max. pressure
- Ends are Male solid x swivel
- All hoses come with red bend restrictors
- 18000 PSI Burst Rating
- Hose is rated @ 250° F / 310° F Max.

		Retail	Our disc.	1
PART #	DESCRIPTION	Price	price	
K02-03125E43	3/8" x 25' - 2 Wire, 6000 PSI (Blue)	\$85.80	\$72.93	
K02-03150E43	3/8" x 50' - 2 Wire, 6000 PSI (Blue)	\$156.90	\$133.37	
K02-03175E43	3/8" x 75' - 2 Wire, 6000 PSI (Blue)	\$243.70	\$207.15	
K02-31100E43	3/8" x 100' - 2 Wire, 6000 PSI (Blue)	\$300.50	\$255.43	

#### **Impac Non-Marking Hose**



- Wrapped Cover (Gray)
- 2 Wire Hose
- 6000 PSI max. pressure
- Ends are Male solid x swivel
- All hoses come with red bend restrictors
- Hose is rated @ 250° F / 310° F Max

PART #	DESCRIPTION	Retail Price	Our disc. price
K02-03150E69	3/8" x 50' - 2 Wire, 6000 PSI (Gray)	\$134.70	\$114.50
K02-31100E69	3/8" x 100' - 2 Wire, 6000 PSI (Gray)	\$257.40	\$218.79
K02-31150E69	3/8" x 150' - 2 Wire, 6000 PSI (Gray)	\$401.80	\$341.53



# Armadillo Tuff Cover Hose

NEW Product



- Tuff Cover (Black)
- 2 Wire Hose
- 6000 PSI max. pressure
- Ends are Male solid x swivel
- All hoses come with red bend restrictors
- Hose is rated @ 250° F
- This hose has been engineered to withstand high abrasion. The cover is highly oil resistant for longer life in the field and includes a non-slip fabric impression finish. This specially designed cover compound provides 4 times the abrasion resistance of standard cover compound.

PART #	DESCRIPTION	Retail Price	Our disc. price
K02-03150K33	3/8" x 50' - 2 Wire, 6000 PSI	\$181.80	\$154.53
K02-31100K33	3/8" x 100' - 2 Wire, 6000 PSI	\$344.20	\$292.57

# **Smooth Black Hose**



- Smooth Cover (Black)
- 2 Wire Hose
- 6000 PSI max. pressure
- Ends are Male swivel x swivel
- All hoses come with red bend restrictors

**PRODUCT** 

- 24500 PSI Burst Rating
- Hose is rated @ 250° F / 300° F Max.

PART #	DESCRIPTION	Retail Price	Our disc. price
K04-03125I33	3/8" x 25' - 2 Wire, 6000 PSI	\$112.30	\$95.46
K04-03150I33	3/8" x 50' - 2 Wire, 6000 PSI	\$189.70	\$161.25
K04-031 <b>7</b> 5l33	3/8" x 75' - 2 Wire, 6000 PSI	\$284.90	\$242.17
K04-31100l33	3/8" x 100' - 2 Wire, 6000 PSI	\$352.00	\$299.20

# SCHIEFFER .

#### **Schieffer Hose**



- Wrapped cover "compression cured" improves the abrasion resistance
- 3:1 Burst to operating ratio
- Embossed Layline specifications are molded into the cover, 2 wire hose
- Male solid/swivel ends, 2 Heavy duty red bend restrictors - injection molded of a high temp., thermoplastic elastomer, stem & ferrule design is "long shank" for better sealing & leak prevention.
- Schieffer hose is rated up to 250° F

		Retail	Our disc.
PART #	DESCRIPTION	Price	price
K02-03150B33	3/8" x 50' – 2 Wire, 6000 PSI	\$196.80	\$167.28
K02-03175B33	3/8" x 75' – 2 Wire, 6000 PSI	\$312.10	\$265.29
K02-31100B33	3/8" x 100' – 2 Wire, 6000 PSI	\$362.00	\$307.70