

A Frame Stainless Steel Hose Reel



- 12" Non-corrosive stainless steel reel
- Easy turn handle, friction brake, lock pin w/holder, nyrim ends
- Pre-drilled mounting holes, heavy duty 1/2" F x 1/2" F swivel
- 4000 PSI, 325° F, 24 lbs.



PART #	DESCRIPTION	Retail Price	Our disc. price
REELK0101061	1/2" ID x 200' - #K01-0106-1	\$618.50	\$525.73

HOSETRACT® HOSE REELS

SBM Series Mini With Swivel Base



- Hand crank hose reel
- Positive locking feature on spool, for mobile applications
- Directional lock positions standard on base
- Roller bar at top prevents hose jump
- High UV resistant durable powder coat finish
- Top Swivel: 1/2" F x 1/2" F
- Pivot Swivel: 1/2" M x 1/2" F
- 4000 PSI
- 200° F
- 37 lbs.

NEW
PRODUCT

PART #	DESCRIPTION	Retail Price	Our disc. price
HTREM56	1/2" ID x 100' - #SB10H-NS-PW	\$559.30	\$475.41



A Frame Industrial Hose Reels



- Direct hand crack rewind with locking pin
- Solid steel construction with durable powder coat finish
- Full flow swivel stainless steel
- Friction brake
- Swivel: 1/2" F x 1/2" F
- 5000 PSI
- 300° F


NEW
PRODUCT

PART #	DESCRIPTION	Retail Price	Our disc. price
REEL-DHRA50150	3/8" ID x 150' - #DHRA50150	\$396.90	\$337.37
REEL-DHRA50300	3/8" ID x 300' - #DHRA50300	\$428.60	\$364.31

orders@PWSoFWPA.com

HOSETRACT® HOSE REELS

Standard M Series Hose Reel



- Hand crank hose reel
- Flow through shaft for universal installation
- Self lubricating ABS bearings
- Fully adjustable nylon brake - adjust tension with hand knob
- Mounting base is light and strong
- External swivel - standardized o-rings can be changed by simply removing one retaining ring.
- Swivel: 1/2" F x 1/2" F
- 4000 PSI
- 200° F
- 37 lbs

PART #	DESCRIPTION	Retail Price	Our disc. price
HTREM105	1/2" ID x 175' - #M 10-5	\$366.00	\$311.10



Solid Steel Construction Hose Reels



- Direct hand crank rewind with locking mechanism
- Hose clamp prevents strain damage to hose
- Mounting base included
- Solid steel construction with durable powder coat finish
- Full flow swivel brass joint
- 4000 PSI, 225° F

Swivel - 3/8" F x 3/8" F

PART #	DESCRIPTION	Retail Price	Our disc. price
REEL-D30001	3/8" ID x 50' - #D30001	\$127.00	\$107.95
REEL-D30002	3/8" ID x 100' - #D30002	\$158.80	\$134.98
REEL-D30004	3/8" ID x 150' - #D30004	\$206.40	\$175.44
REEL-D30006	3/8" ID x 200' - #D30006	\$219.10	\$186.24



Alkota Hose Reel



ALK-FMK500

ALK-SMK502

- Two Models to choose from with choice of mounting
- ALK-CP10991: 6" Reel - hose capacity is 100' of 3/8" ID Hose
- ALK-CP1099: 12" Reel - hose capacity is 250' of 3/8" ID Hose
- Hose is not included
- Rated up to 5,000 PSI Working Pressure
- Super Swivel is Standard
- Powder Coated Wrinkle Finish
- Choice of Optional Swivel Pivoting Arm or Fixed Arm

NEW
PRODUCT

PART #	DESCRIPTION	Retail Price	Our disc. price
ALK-CP10991	3/8" x 100' Alkota Hose Reel	\$443.00	\$376.55
ALK-CP1099	3/8" x 250' Alkota Hose Reel	\$449.00	\$381.65
ALK-SMK502	Swivel Mounting Bracket	\$174.10	\$147.99
ALK-FMK500	Fixed Mounting Bracket	\$69.00	\$58.65



Solid Steel Construction Hose Reels

NEW
PRODUCT



- Direct hand crank rewind with locking pin
- Mounting base included
- Solid steel construction with durable powder coat finish
- Full flow swivel steel joint
- 5000 PSI
- 300° F

Swivel - 3/8" F x 3/8" F

PART #	DESCRIPTION	Retail Price	Our disc. price
REEL-DHR50100D	3/8" ID x 100' - #DHR50100 (Now NO PIGTAIL)	\$244.50	\$207.83
REEL-DHR50150D	3/8" ID x 150' - #DHR50150 (Now NO PIGTAIL)	\$269.90	\$229.42



Solid Steel Construction Hose Reels

NEW
PRODUCT



REEL-DHRWM50200

REEL-2100531



- Direct hand crank rewind with locking pin
- For use with wall mounting kit #2100531
- Solid steel construction with durable powder coat finish
- Full flow swivel
- 4000 PSI
- 225° F


Swivel - 3/8" M x 3/8" F

PART #	DESCRIPTION	Retail Price	Our disc. price
REEL-DHRWM50200	3/8" ID x 200' - #DHRWM50200	\$282.60	\$240.21
REEL-2100531	Wall mounting Kit - #2100531	\$53.40	\$45.39

orders@PWSofWPA.com



1125E Series Hose Reels



Standard Color



#1125-4-100-E, #1125-4-200-E,
#1125-4-325-E = 1/2" F x 1/2" F
Swivel #1125-5-100-E, #1125-5-175-
E = 3/4" F x 3/4" F Swivel

- Large capacity, motorized rewind hose reels
- For air, water, and chemical transfer to 3,000 PSI
- Applications include: wash down, pressure washing, agricultural, drain cleaning, pesticide, herbicide, and general maintenance.
- Heavy-duty, solid steel construction
- Durable electrostatic powder coat finish
- Convenient motorized retraction
- Motor: 1/3 HP Rewind, 12V, D.C. Non-Explosion Proof (Rewind Reversible Type)
- Full flow brass swivel inlet
- Low profile outlet riser and open hose slot ensure even wraps of hose around the drum.
- Manufacturer's 2 year warranty
- **NOTE:** ROLLER HOSE GUIDE & GEAR GUARD ARE SOLD SEPARATELY

PART #	DESCRIPTION	Retail Price	Our disc. price
COX11254100E	Model #1125-4-100-E - 1/2" ID x 100'	\$1,156.70	\$983.20
COX11254200E	Model #1125-4-200-E - 1/2" ID x 200'	\$1,156.70	\$983.20
COX11254325E	Model #1125-4-325-E - 1/2" ID x 325'	\$1,177.40	\$1,000.79
COX11255100E	Model #1125-5-100-E - 3/4" ID x 100'	\$1,234.30	\$1,049.16
COX11255175E	Model #1125-5-175-E - 3/4" ID x 175'	\$1,265.30	\$1,075.51



1125 Series Hose Reels



Standard Color



#1125-4-100, #1125-4-200, #1125-4-200-
CVXX, #1125-4-325 = 1/2" F x 1/2" F Swivel
#1125-5-100, #1125-5-175 = 3/4" F x 3/4"
F Swivel

CVXX = Crinkle Black w/viton

- Large capacity, hand crank hose reels
- For air, water, and chemical transfer to 3,000 PSI
- Applications include: wash down, pressure washing, agricultural, drain cleaning, pesticide, herbicide, and general maintenance
- Heavy-duty, solid steel construction
- Durable electrostatic powder coat finish, full flow brass swivel inlet
- Low profile outlet riser and open hose slot ensure even wraps of hose around the drum.
- Long handled lock pin secures the reel when not in use.
- Adjustable tension brake eliminates hose backlash when unwinding.
- Manufacturer's 2 year warranty

PART #	DESCRIPTION	Retail Price	Our disc. price
COX-11254100	Model #1125-4-100 - 1/2" ID x 100'	\$486.10	\$413.19
COX-11254200	Model #1125-4-200 - 1/2" ID x 200'	\$486.10	\$413.19
COXA11254200	Model #1125-4-200-CVXX - 1/2" ID x 200'	\$494.70	\$420.50
COX-11254325	Model #1125-4-325 - 1/2" ID x 325'	\$503.40	\$427.89
COX-11255100	Model #1125-5-100 - 3/4" ID x 100'	\$618.90	\$526.07
COX-11255175	Model #1125-5-175 - 3/4" ID x 175'	\$630.90	\$536.27



1125 Series Stacking Brackets



- For 1125 Series Hose Reels
- Heavy-duty, solid steel construction
- Vertically attaches two 1125 Series reels
- Durable electrostatic powder coat finish
- The 1125-4-100 Hose Reels will not work with these stacking brackets due to the drum width on that model reel.
- #7480-12 has a 12" Drum width
- #7480-18 has an 18" Drum width
- **NOTE:** HOSE REELS ARE NOT INCLUDED.



Standard Color
Crinkle Black

PART #	DESCRIPTION	Retail Price	Our disc. price
COX-748012	#7480-12 - for Model #1125-4-200, 1125-5-100	\$183.10	\$155.64
COX-748018	#7480-18 - for Model #1125-4-325, 1125-5-175	\$183.10	\$155.64



1125 Series Gear Guard



- For 1125 Series Hose Reels
- Guards against operator injury
- Protects gear drive from dirt and foreign matter
- **NOTE:** GEAR GUARD IS THE BLACK DISK ONLY.

PART #	DESCRIPTION	Retail Price	Our disc. price
COX-07406	#7406 - Gear Guard for 1125 Series	\$86.30	\$73.36



1125 Series Roller Brackets

Standard Color




- For 1125 Series Hose Reels
- Heavy-duty, solid steel construction
- Stainless steel rollers allow smooth, non-corrosive performance
- Durable electrostatic powder coat finish

PART #	DESCRIPTION	Retail Price	Our disc. price
COX-153536	#15353-6 - For Model #1125-4-100	\$276.40	\$234.94
COX-1535312	#15353-12 - For Model #1125-4-200, 1125-5-100	\$276.40	\$234.94
COX-1535318	#15353-18 - For Model #1125-4-325, 1125-5-175	\$276.40	\$234.94

orders@PWSofWPA.com



100 Series Hose Reels "The Challenger"



Standard Color



- Compact, direct hand crank hose reels
- For air, water, and chemical transfer to 4,000 PSI
- Applications include: wash down, pressure washing, agricultural, drain cleaning, pesticide, herbicide, and general maintenance.
- Heavy-duty, solid steel construction
- Durable electrostatic powder coat finish
- Full flow brass swivel inlet
- Direct hand crank rewind in a compact, lightweight reel
- Perfect for mobile applications such as pressure washers and trucks or permanently mount it to the floor, wall, or ceiling.
- Handles product temperatures from -20° F to +225° F.
- Adjustable drag brake eliminates hose backlash while unreeling.
- Manufacturer's 2 year warranty

PART #	DESCRIPTION	Retail Price	Our disc.
COX-1123100	Model #112-3-100 - 3/8" ID x 100'	\$315.50	\$268.18
COX-1123150	Model #112-3-150 - 3/8" ID x 150'	\$322.40	\$274.04
COX-112475	Model #112-4-75 - 1/2" ID x 75'	\$344.80	\$293.08
COX-1174225	Model #117-4-225 - 1/2" ID x 225'	\$384.40	\$326.74



PR Series Kit Portable Hose Reel Cart



Standard Color Crinkle Black

- For attachment to 1125-4-200 Hose Reel
- Applications include: any air, water, or chemical transfer application where long lengths of hose and mobility are required
- Heavy-duty, solid steel construction
- Durable electrostatic powder coat finish
- 1/2" Diameter solid steel axle
- Detachable round steel handle for compact storage
- Rubber feet on the front legs prevent reel from sliding forward when pulling on the hose, 8" Solid rubber tires
- High grade ball bearings with hardened cup design as an integral part of the reel
- Manufacturer's 2 year warranty

NOTE: HOSE REEL IS NOT INCLUDED

PART #	DESCRIPTION	Retail Price	Our disc.
COX-PR112512	#PR-1125-12 - For Model 1125-4-200 Only	\$316.90	\$269.37



Lock Pin



- For 1125 Series Hose Reels
- Heavy-duty solid steel construction
- Long handle for easy access, even with gloves on
- Smooth, rounded edges for safety and comfort
- Spring loaded latch ensures solid engagement

PART #	DESCRIPTION	Retail Price	Our disc.
COX-20843	#20843 - Lock Pin for entire 1125 Series	\$36.30	\$30.86

orders@PWSofWPA.com